L Number	Hits	Search Text	DB	Time stamp
1	1	(( send\$3 or transmit\$6 or transfer\$3 or	USPAT;	2004/02/24 10:20
		dispatch\$3) with command\$3 with updat\$3	US-PGPUB;	
		near2( id or identif\$6).ab.)	EPO; JPO;	
			DERWENT;	
_			IBM_TDB	1
2	123	(( send\$3 or transmit\$6 or transfer\$3 or	USPAT;	2004/02/24 09:43
		dispatch\$3) with updat\$3 near2(id or	US-PGPUB;	
		identif\$6).ab.)	EPO; JPO;	
			DERWENT; IBM TDB	
3	123	(( send\$3 or transmit\$6 or transfer\$3 or	USPAT;	2004/02/24 09:43
-		dispatch\$3) with updat\$3 near2(id or	US-PGPUB;	2001, 02, 21 03110
		identif\$6) ).ab.	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
4	21	(( send\$3 or transmit\$6 or transfer\$3 or	USPAT;	2004/02/24 09:49
		dispatch\$3) with updat\$3 near2(id or	US-PGPUB;	
		identif\$6) with message\$1).ab.	EPO; JPO;	
			DERWENT; IBM TDB	
5	24	(( send\$3 or transmit\$6 or transfer\$3 or	USPAT:	2004/02/24 10:03
		dispatch\$3) · with updat\$3 with	US-PGPUB;	2007/02/27 10.03
		((command or manager\$1 or control\$6) near2	EPO; JPO;	
		(id or identif\$6))).ab.	DERWENT;	
			IBM_TDB	
6	196	(( send\$3 or transmit\$6 or transfer\$3 or	USPĀT;	2004/02/24 10:03
		dispatch\$3) with ((command or manager\$1	US-PGPUB;	
		or control\$6) near2 ( id or	EPO; JPO;	
		identif\$6))same message\$1 ).ab.	DERWENT;	
7	148	(( send\$3 or transmit\$6 or transfer\$3 or	IBM_TDB USPAT;	2004/02/24 10:03
'	140	dispatch\$3) with ((command or manager\$1	US-PGPUB;	2004/02/24 10:03
		or control\$6) near2 (id or	EPO; JPO;	
1		identif\$6))with message\$1 ).ab.	DERWENT;	
			IBM TDB	
8	3	(( send\$3 or transmit\$6 or transfer\$3 or	USPĀT;	2004/02/24 10:06
		dispatch\$3) with ((command or manager\$1	US-PGPUB;	
		or control\$6) near2 ( id or identif\$6))	EPO; JPO;	
	,	with message\$1 with (updat\$3 or modif\$3	DERWENT;	
9	8	or amend\$3) ).ab. ( ((command or manager\$1 or control\$6)	IBM_TDB USPAT;	2004/02/24 10:27
		near2 (id or identif\$6)) with message\$1	US-PGPUB;	2004/02/24 10:27
		with (updat\$3 or modif\$3 or amend\$3)	EPO; JPO;	
ž,		).ab.	DERWENT;	
			IBM TDB	
10	74	( ((command or manager\$1 or control\$6)	USPAT;	2004/02/24 10:26
		near2 (id or identif\$6)) with message\$1	US-PGPUB;	
		with ( updat\$3 or modif\$3 or amend\$3) )	EPO; JPO;	
			DERWENT; IBM TDB	
11	6	( ((command or manager\$1 or control\$6)	USPAT;	2004/02/24 10:17
		near2 (id or identif\$6)) with message\$1	US-PGPUB;	2001,02/23 10.17
		with (updat\$3 or modif\$3 or amend\$3) with	EPO; JPO;	
		(database\$1 or version\$1) )	DERWENT;	
<u>                                     </u>			IBM_TDB	
12	74	(.((command or manager\$1 or control\$6)	USPAT;	2004/02/24 10:19
		near2 (id or identif\$6)) with message\$1	US-PGPUB;	
		with (updat\$3 or modif\$3 or amend\$3) )	EPO; JPO; DERWENT;	
]			IBM TDB	
13	21	(( send\$3 or transmit\$6 or transfer\$3 or	USPAT;	2004/02/24 10:20
		dispatch\$3) with command\$3 with updat\$3	US-PGPUB;	
		near2( id or identif\$6) )	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	389	( ((command or manager\$1 or control\$6)	USPAT;	2004/02/24 10:26
		near2 ( id or identif\$6)) with message\$1	US-PGPUB;	
	]	).ab.	EPO; JPO; DERWENT;	
			IBM TDB	
L			1011 100	<u></u>

Search History 2/24/04 11:33:45 AM Page 1

15	64	<pre>( ((command or manager\$1 or control\$6) near2 ( id or identif\$6)) with message\$1 ).ti.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/24 10:36
16	77388	( updat\$3 or modif\$3 or chang\$3) with	IBM_TDB USPAT;	2004/02/24 10:28
	_	(version\$3 or database\$1)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
17	10	( (((command or manager\$1 or control\$6) near2 (id or identif\$6)) with message\$1 ).ab.) & ( (updat\$3 or modif\$3 or chang\$3) with (version\$3 or	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/24 10:28
18	18428	<pre>database\$1) )   ( control with message).ab.</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/24 10:36
19	388	(( control near3 message)with (id or identif\$6)).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/24 10:37
20	3	(( control near3 message\$1)with (id or identif\$6) & enterprise).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/24 10:38
21	251	(( control near message\$1)with (id or identif\$6) ).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:39
22	32	(( control near message\$1)with (id or identif\$6) ).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:41
23	17	(( control near message\$1)with (id or identif\$6) with access\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/24 10:45
24	205	( ( message\$1)with (id or identif\$6) with ( access\$3 with control\$6 or manager\$1) ).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:45
25	111	( ( message\$1)with (id or identif\$6) with access\$3 with (control\$6 or manager\$1) ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/24 10:45
26	76594	( updat\$3 or modif\$6 or chang\$3 ) with (database or version\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:46
27	2	<pre>( ( ( message\$1)with (id or identif\$6) with access\$3 with (control\$6 or manager\$1) ).ab. ) &amp; ( ( updat\$3 or modif\$6 or chang\$3 ) with (database or version\$1))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/02/24 10:47
28	2	( 5,493,671).pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/02/24 10:55

29	561	'	USPAT;	2004/02/24 10:57
		manager or command or control\$6 or	US-PGPUB;	
		access\$6)).ab.	EPO; JPO; DERWENT;	
			IBM TDB	
30	93	( message\$3 with ((id or idetif\$3) near2	USPAT;	2004/02/24 11:02
		( manager or command or control\$6 or	US-PGPUB;	
		access\$6))).ab.	EPO; JPO;	
			DERWENT;	
	_		IBM_TDB	
31	0	( (update near message\$3) with ((id or	USPAT;	2004/02/24 11:02
		<pre>idetif\$3) near2 ( manager or command or control\$6 or access\$6))).ab.</pre>	US-PGPUB; EPO; JPO;	
		Controlly of accessyo ) ) . ab.	DERWENT;	
			IBM TDB	
32	1	( (update near message\$3) with (id or	USPĀT;	2004/02/24 11:03
		idetif\$3) ).ab.	US-PGPUB;	
			EPO; JPO;	
İ			DERWENT;	
33	110	( (update near message\$3) with (id or	IBM_TDB USPAT;	2004/02/24 11:04
	110	idetif\$3) )	US-PGPUB;	2004/02/24 11:04
			EPO; JPO;	
			DERWENT;	
		1	IBM_TDB	
34	3112	( (update near message\$3) )	USPAT;	2004/02/24 11:03
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
35	332	( (update near message\$3) ).ab.	USPĀT;	2004/02/24 11:03
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
36	1	( (update near message\$3) with control\$3	USPAT;	2004/02/24 11:04
	_	with access\$3 ).ab.	US-PGPUB;	2001/02/21 11:01
			EPO; JPO;	
			DERWENT;	
37	0	/ /which has married (2) with /id an	IBM_TDB	2004/02/24 11:05
37		( (update near message\$3) with (id or idetif\$3) same enterprise )	USPAT; US-PGPUB;	2004/02/24 11:05
		Taccity balle checipitoe	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
38	16	( (update near message\$3) with (id or	USPAT;	2004/02/24 11:07
		idetif\$3) same (version\$1 or database\$1))	US-PGPUB; EPO; JPO;	
			DERWENT;	
1			IBM TDB	
39	1		USPAT;	2004/02/24 11:10
		idetif\$3) same (version\$1 or	US-PGPUB;	
		database\$1)).ab.	EPO; JPO;	
			DERWENT; IBM TDB	
40	141	( updat\$3 with (id or idetif\$3) same	USPAT;	2004/02/24 11:09
		(version\$1 or database\$1)).ab.	US-PGPUB;	,
			EPO; JPO;	
			DERWENT;	
41	764	(719/313,314,315).CCLS.	IBM_TDB USPAT	2004/02/24 11:10
41	764	((19/313,314,315).CCLS. (( updat\$3 with (id or idetif\$3) same	USPAT	2004/02/24 11:10 2004/02/24 11:11
		(version\$1 or database\$1)).ab.) &		
		((719/313,314,315).CCLS.)		
43	110	( updat\$3 with message\$1 with (id or	USPAT;	2004/02/24 11:10
		<pre>idetif\$3) same (version\$1 or database\$1))</pre>	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	<u> </u>			

4 4	0	( ( updat\$3 with (id or idetif\$3) same	USPAT	2004/02/24 11:11
,		(version\$1 or database\$1)).ab.) & (( (		
		updat\$3 with (id or idetif\$3) same (version\$1 or database\$1)).ab.) &		
		((719/313,314,315).CCLS.))		
_	1	("6438112").pn.	USPAT	2004/02/23 12:29
_	Ī	" method and apparatus for the	USPAT	2004/02/23 12:33
		distribution of data constructs, such as		, , , , , , , , , , , , , , , , , , , ,
		object-oriented "		
-	0	( method near2 apparatus near2 the	USPAT	2004/02/23 12:35
		distribution near2 data near2 constructs		
		near3 object-oriented ).ti.	110020	0004/00/00 10 04
-	0	( method near2 apparatus near2 the distribution near2 data near2 constructs	USPAT	2004/02/23 12:34
		).ti.		
_	l 0	( method near2 apparatus near2 the	USPAT	2004/02/23 12:34
		distribution near2 data near2 constructs		
		).ab.		
-	0	( method near2 apparatus near2 the	USPAT;	2004/02/23 12:35
1	•	distribution near2 data near2 constructs	US-PGPUB;	
Ĭ		near3 object-oriented ).ti.	EPO; JPO;	
			DERWENT;	
1_	2	(5,493,671).pn.	IBM_TDB USPAT;	2004/02/23 13:30
	-	(3,433,071,.pm.	US-PGPUB;	2004/02/23 13.30
]			EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	212	( distribut\$3, with chang\$3 with	USPAT;	2004/02/23 13:32
		manag\$6).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
<u> </u>	8	( distribut\$3 with chang\$3 with messag\$3	IBM_TDB USPAT;	2004/02/23 14:09
		with manag\$6).ab.	US-PGPUB;	2004/02/23 14.07
			EPO; JPO;	
			DERWENT;	
,			IBM_TDB	
-	0	( distribut\$3 with updat\$3 with	USPAT;	2004/02/23 14:09
	ĺ	messag\$3 with servion\$1).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	0	( distribut\$3 with updat\$3 with	USPAT;	2004/02/23 14:09
		messag\$3 with servion\$1)	US-PGPUB;	2001, 02, 20 21.05
			EPO; JPO;	
			DERWENT;	
	_	( 41-1-1) (40 11)	IBM_TDB	0004/00/00
-	8	( distribut\$3 with updat\$3 with	USPAT;	2004/02/23 14:10
		messag\$3 with manag\$6).ab.	US-PGPUB;	[
			EPO; JPO; DERWENT;	
			IBM TDB	
-	823917	( d updat\$3 with messag\$3 same	USPAT;	2004/02/23 14:11
		version\$1).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004455455
-	52		USPAT;	2004/02/23 14:46
		version\$1).ab.	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
1 -	9	( (id or identif\$6) same updat\$3 with	USPAT;	2004/02/23 14:48
		messag\$3 same version\$1).ab.	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM TDB	<u> </u>

_	24494	<pre>( distribuT\$3 with ( updat\$3 or modif\$3 or chang\$3)).ab.</pre>	USPAT; US-PGPUB;	2004/02/23 14:49
			EPO; JPO; DERWENT; IBM TDB	
_	24494	<pre>( distribut\$3 with ( updat\$3 or modif\$3 or chang\$3)).ab.</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/02/23 14:50
			DERWENT; IBM_TDB	
-	127	<pre>( distribut\$3 with ( updat\$3 or modif\$3 or chang\$3) same version\$3 ).ab.</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/02/23 14:51
_	1	( distribut\$3 with ( updat\$3 or modif\$3	DERWENT; IBM_TDB USPAT;	2004/02/23 14:51
	_	or chang\$3) with ( message or command\$3 ) same version\$3 ).ab.	US-PGPUB; EPO; JPO;	2004/02/23 14.31
_ ,	160	( ( updat\$3 or modif\$3 or chang\$3)	DERWENT; IBM_TDB USPAT;	2004/02/23 14:52
		<pre>with ( message or command\$3 ) same version\$3 ).ab.</pre>	US-PGPUB; EPO; JPO; DERWENT;	
_	109	( ( updat\$3 or modif\$3 or chang\$3)	IBM_TDB USPAT;	2004/02/23 14:52
		with ( message or command\$3 )with version\$3 ).ab.	US-PGPUB; EPO; JPO; DERWENT;	
-	2226277	( ( updat\$3 or modif\$3 or chang\$3)near\$4 ( message or command\$3	IBM_TDB USPAT; US-PGPUB;	2004/02/23 14:52
		)with version\$3 ).ab.	EPO; JPO; DERWENT; IBM TDB	
-	2226326	( ( updat\$3 or modif\$3 or chang\$3) near\$5 ( message or command\$3 )with version\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO;	2004/02/23 14:53
	0005007		DERWENT; IBM_TDB	2004/00/00 14 54
_	2205997	( (updat\$3 or modif\$3 or chang\$3) near\$2 (message or command\$3 ) with version\$3 ).ab.	USPAT; US-PGPUB; EPO; JPO;	2004/02/23 14:54
_	71	( ( updat\$3 or modif\$3 or chang\$3)	DERWENT; IBM_TDB USPAT;	2004/02/23 14:54
		near5 ( message or command\$3 ) with version\$3 ).ab.	US-PGPUB; EPO; JPO; DERWENT;	
_	36	( (updat\$3 or modif\$3 or chang\$3)	IBM_TDB USPAT;	2004/02/23 15:00
		<pre>near2( message or command\$3 ) with version\$3 ).ab.</pre>	US-PGPUB; EPO; JPO; DERWENT;	
-	0	( (( id or identif\$3)with ( manag\$3 or control\$6))with message same ( updat\$3	IBM_TDB USPAT; US-PGPUB;	2004/02/23 15:02
		or modif\$3 or chang\$3) with version\$3 ).ab.	EPO; JPO; DERWENT; IBM TDB	
-	27	<pre>( (( id or identif\$3)with ( manag\$3 or control\$6)) same ( updat\$3 or modif\$3 or chang\$3) with version\$3 ).ab.</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/02/23 15:02
			DERWENT; IBM_TDB	2004/02/22 15-02
_	0	<pre>( distribut\$3 with (( id or identif\$3)with ( manag\$3 or control\$6)) same ( updat\$3 or modif\$3 or chang\$3)</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/02/23 15:03
		with version\$3 ).ab.	DERWENT; IBM TDB	

_	31	( ((id or identif\$3)with (manag\$3	USPAT;	2004/02/23 15:21
		or control\$6)) with ( message or command\$3 ) same ( updat\$3 or modif\$3 or chang\$3)	US-PGPUB; EPO; JPO;	
		with version\$3 )	DERWENT;	
		/ /dat62 madif62 aban x62)	IBM_TDB	2004/02/22 15 20
-	4	( ( updat\$3 or modif\$3 or chang\$3) with version\$3 same message with program	USPAT; US-PGPUB;	2004/02/23 15:30
		near2 (id or identif\$3 ) )	EPO; JPO;	
			DERWENT;	
	56	( ( ) mdo+62 on modiff(2 on observe(2)	IBM_TDB	2004/02/22 15:21
-	36	( ( updat\$3 or modif\$3 or chang\$3) same message with program near2 (id or	USPAT; US-PGPUB;	2004/02/23 15:31
		identif\$3 ) )	EPO; JPO;	
			DERWENT;	
l_	29	( ( updat\$3 or modif\$3 or chang\$3) with	IBM_TDB USPAT;	2004/02/23 15:49
		message with program near2 (id or	US-PGPUB;	2004/02/23 13.49
		identif\$3 ) )	EPO; JPO;	
			DERWENT;	
_	3841	( ( updat\$3 or modif\$3 or chang\$3) with	IBM_TDB USPAT;	2004/02/23 15:49
		version\$1).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	441	( message with program near2 (id or	USPAT;	2004/02/23 15:49
		identif\$3 ) )	US-PGPUB;	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
			EPO; JPO;	
			DERWENT; IBM TDB	
-	562		USPAT;	2004/02/23 15:49
		identif\$3 ) )	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	441	( ( message with program near2 (id	USPAT;	2004/02/23 15:50
		or identif(3))) & ( ( message with	US-PGPUB;	
		program\$3 near2 (id or identif\$3 ) ) )	EPO; JPO; DERWENT;	
			IBM_TDB	
-	646	( message\$1 with program\$3 near2 (id	USPAT;	2004/02/23 15:49
		or identif\$3 ) )	US-PGPUB; EPO; JPO;	
			DERWENT;	
	_ =		IBM TDB	
_	77	( message\$1 with program\$3 near2 (id or identif\$3 ) ).ab.	USPAT;	2004/02/23 15:54
		or identitys / /.ab.	US-PGPUB; EPO; JPO;	
			DERWENT;	
	_	/ / / which 62 are modified and the code	IBM_TDB	2004/02/22 15 52
-	0	<pre>( ( ( updat\$3 or modif\$3 or chang\$3) with version\$1).ab.) &amp; ( ( message\$1</pre>	USPAT; US-PGPUB;	2004/02/23 15:50
		with program\$3 near2 (id or identif\$3)	EPO; JPO;	
		).ab.)	DERWENT;	
_	0	( ( updat\$3 or modif\$3 or chang\$3)	IBM_TDB USPAT;	2004/02/23 15:52
		with version\$1).ab.) & ( ( message\$1	USPAT; US-PGPUB;	2004/02/23 15:52
		with program\$3 near2 (id or identif\$3 ) )	EPO; JPO;	
		)	DERWENT;	
-	646	( message\$1 with program\$3 near2 (id	IBM_TDB USPAT;	2004/02/23 15:51
		or identif\$3 ) )	US-PGPUB;	2004/02/23 13.31
			EPO; JPO;	
			DERWENT; IBM TDB	
_	7905	( message\$1 with (id or identif\$3 )	USPAT;	2004/02/23 15:52
		).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
L	<u> </u>		TOU IDD	

-	5	( ( updat\$3 or modif\$3 or chang\$3)	USPAT;	2004/02/23 15:53
		with version\$1).ab.) & ( ( message\$1	US-PGPUB;	
		with (id or identif\$3 ) ).ab. )	EPO; JPO; DERWENT;	
			IBM TDB	
-	6		USPAT;	2004/02/23 16:00
		or identif\$3 ) & updat\$3 ).ab.	US-PGPUB; EPO; JPO;	
	İ		DERWENT;	
	2610	/ magazagii with undatii \ ab	IBM_TDB	2004/02/22 16 00
	2010	( message\$1 with updat\$3 ).ab.	USPAT; US-PGPUB;	2004/02/23 16:00
			EPO; JPO;	
			DERWENT; IBM TDB	
_	34	( message\$1 with updat\$3 with	USPAT;	2004/02/23 16:26
		version\$1 ).ab.	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	49	,	USPĀT;	2004/02/23 16:26
		version\$1 ).ab.	US-PGPUB; EPO; JPO;	
			DERWENT;	
_	88	( message\$1 with (updat\$3 or	IBM_TDB USPAT;	2004/02/23 16:34
-	88	( message\$1 with (updat\$3 or modif\$3 or chang\$3) same version\$1 ).ab.	US-PGPUB;	2004/02/23 16:34
		j. , , , ,	EPO; JPO;	
			DERWENT; IBM TDB	
_	2508	( message\$1 with ( function or program\$6	USPAT;	2004/02/23 16:39
		or command )near3 ( id or identif\$3))	US-PGPUB;	
1			EPO; JPO; DERWENT;	
			IBM TDB	
-	2		USPAT;	2004/02/23 16:35
		modif\$3 or chang\$3) same version\$1 ).ab. ) & ( ( message\$1 with ( function or	US-PGPUB; EPO; JPO;	
1		program\$6 or command )near3 ( id or	DERWENT;	
_	1364	<pre>identif\$3)))   ( message\$1 with (updat\$3 or</pre>	IBM_TDB USPAT;	2004/02/23 16:34
,	1504	modif\$3 or chang\$3) same version\$1 )	US-PGPUB;	2004/02/23 10.34
			EPO; JPO;	
			DERWENT; IBM TDB	
-	81	( ( message\$1 with (updat\$3 or	USPĀT;	2004/02/23 16:36
		<pre>modif\$3 or chang\$3) same version\$1 ) ) &amp;   ( ( message\$1 with ( function or</pre>	US-PGPUB; EPO; JPO;	
		program\$6 or command ) near3 ( id or	DERWENT;	
	00	identif\$3)))	IBM_TDB	2004/02/22 15 55
-	99	( message\$1 with header with ( function or program\$6 or command ) near3 ( id or	USPAT; US-PGPUB;	2004/02/23 16:35
		identif\$3))	EPO; JPO;	
			DERWENT; IBM TDB	
-	0	( ( message\$1 with (updat\$3 or	USPAT;	2004/02/23 16:35
		modif\$3 or chang\$3) same version\$1 ).ab.	US-PGPUB;	
		) & ( ( message\$1 with header with ( function or program\$6 or command ) near3 (	EPO; JPO; DERWENT;	
		<pre>id or identif\$3)))</pre>	IBM_TDB	
-	9	( ( message\$1 with (updat\$3 or modif\$3 or chang\$3) same version\$1 ) ) &	USPAT; US-PGPUB;	2004/02/23 16:36
		( ( message\$1 with header with ( function	EPO; JPO;	
		or program\$6 or command )near3 ( id or	DERWENT;	
_	35	identif\$3)))   ( message\$1 with ( function or program\$6	<pre>IBM_TDB USPAT;</pre>	2004/02/23 16:41
		or command )near3 ( id or identif\$3)) same	US-PGPUB;	2001, 02, 23 10.41
		version\$1	EPO; JPO;	
			DERWENT; IBM TDB	
·				<u> </u>

-	53	<pre>( message\$1 with ( manag\$3 or control\$6 )near3 ( id or identif\$3)) same version\$1</pre>	USPAT; US-PGPUB; EPO; JPO;	2004/02/23 16:41
	4005		DERWENT; IBM_TDB	0004/00/00 45
_	1395	<pre>(( message\$1 with ( manag\$3 or control\$6 ) with ( id or identif\$3))    ).ab.</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/23 16:42
_	258	(( message\$1 with ( manag\$3 or control\$6 )near2 ( id or identif\$3)) ).ab.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/23 16:42
_	22	<pre>(( message\$1 with ( manag\$3 or control\$6 )near2 ( id or identif\$3)) same ( updat\$3 or modif\$3) ).ab.</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/23 17:03
_	3	( ( manag\$3 or control\$6 )near2 ( id or	DERWENT; IBM_TDB USPAT;	2004/02/23 16:58
		<pre>identif\$3) same ( updat\$3 or modif\$3) with version\$3 ).ab.</pre>	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	8	( global with ( updat\$3 or modif\$3) with version\$3 ).ab.	USPĀT; US-PGPUB; EPO; JPO;	2004/02/23 16:58
_	26	<pre>(( request\$3 with ( manag\$3 or control\$6 )near2 ( id or identif\$3)) same ( updat\$3 or modif\$3) ).ab.</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/23 17:04
_	1	(( request\$3 with ( manag\$3 or control\$6 )near2 ( id or identif\$3)) same ( updat\$3 or modif\$3) & version\$1 ).ab.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/23 17:03
_	11	<pre>(( request\$3 with ( manag\$3 or control\$6 )near2 ( id or identif\$3)) with ( updat\$3 or modif\$3) ).ab.</pre>	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/23 17:06
-	670	( message\$1 with (manag\$3 or control\$6) with (updat\$3 or modif\$3)	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/23 17:07
_	3	( message\$1 with (manag\$3 or control\$6) with (updat\$3 or modif\$3)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/02/23 17:08
	48	with version\$1).ab.	EPO; JPO; DERWENT; IBM_TDB USPAT;	2004/02/23 17:08
	40	<pre>( message\$1 with ( manag\$3 or control\$6 ) with ( updat\$3 or modif\$3) with version\$1)</pre>	US-PGPUB; EPO; JPO; DERWENT;	2004/02/23 17:00
-	1	<pre>( message\$1 with header with ( manag\$3 or control\$6 ) with ( updat\$3 or modif\$3) with version\$1)</pre>	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/02/23 17:09
_	22	( message\$1 with header with ( updat\$3 or modif\$3) with version\$1)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/02/23 17:11
			DERWENT; IBM TDB	





-	571	( distribut\$3 with (updat\$3 or	USPAT;	2004/02/23 17:11
		modif\$3) with version\$1)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
,			IBM_TDB	
-	65		USPAT;	2004/02/23 17:16
		modif\$3) with version\$1).ab.	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
l <u>-</u>	0	( (id or identif\$3) with (updat\$3 near4	USPAT;	2004/02/23 17:17
		manager\$1 ) with version\$1 ).ab.	US-PGPUB;	2004/02/23 17:17
		manageryr / wren versionyr / ab.	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	3	( (id or identif\$3) with (updat\$3 near4	USPAT;	2004/02/23 17:18
		manager\$1 ) with version\$1 )	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	9	( (20 01 2001101240) 112011 (upaac40 1100121	USPAT;	2004/02/24 09:40
		manager\$1 ) same version\$1 )	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	L		IBM_TDB	